

## Applications for pharmaceutical and cosmetics microbiology testing

Applications pour analyses de microbiologie pharmaceutique et cosmétique





BioMaxima S.A. is an European Union-based manufacturer of a wide range of in vitro diagnostic (IVD) products. The company was established in 2002 in Poland and it was listed on the Warsaw Stock Exchange in 2010.

BioMaxima products are CE marked and meet the requirements of EC directive 98/79/EC. Our Quality System is certified to the ISO 9001:2015 and ISO 13485:2016 international standards and quality control is carried out in accordance with ISO 11133:2014.

BioMaxima is focused on continuous growth and development, working internationally through a network of authorised distributors. Wherever BioMaxima products reach, our services and product support follow, meeting the highest standards. The strength of BioMaxima S.A. is having the own quality control department, professional technical service and after-sales service conducted by qualified specialists. We supply international markets including countries of Europe, Asia, Africa and South America.

BioMaxima S.A. est un fabricant européen d'une large gamme de dispositifs de diagnostic in vitro (IVD). La société a été créée en 2002 en Pologne et a été cotée à la Bourse de Varsovie en 2010.

Les produits BioMaxima sont marqués CE et répondent aux exigences de la directive CE 98/79 / CE. Notre système de qualité est certifié selon les normes internationales ISO 9001: 2015 et ISO 13485: 2016, et le contrôle de la qualité est effectué conformément à la norme ISO 11133: 2014.

BioMaxima se concentre sur le développement continu, travaillant à l'international à travers un réseau de distributeurs agréés. Quel que soit la destination de nos produits nous assurons leur entretien et le service après-vente aux standards les plus exigeants. L'avantage de Biomaxima est la possession de son propre contrôle de qualité, de son service technique professionnel et de son service après vente, qui sont dirigés par des spécialistes qualifiés.

Nous fournissons des marchés internationaux comprenant des pays d'Europe, d'Asie, d'Afrique et d'Amérique du Sud.

Applications for Pharmaceutical and Cosmetics Microbiology Testing  
Applications pour analyses de microbiologie pharmaceutique et cosmétique



Applications for Food Microbiology Testing  
Applications pour analyses de microbiologie alimentaire



Applications for Water Microbiology Testing  
Applications pour analyses de microbiologie de l'eau



Applications for Clinical Microbiology  
Applications pour la microbiologie clinique



Applications for Molecular Biology  
Applications pour la biologie moléculaire



IVD Products  
Dispositifs médicaux de diagnostic in vitro



Product	Page
Applicator for contact plates	15
Baird Parker LAB-AGAR™	7
Baird Parker LAB-AGAR™ Base	7, 13
Baird Parker LAB-AGAR™ Base acc. to ISO 6888-1	7
Brilliant Green acc. to Kauffman LAB-AGAR™	7
Brilliant Green Tetrathionate Broth	7
Buffered Diluent pH 7,0	5
Buffered Diluent pH 7,0 with Neutralized	5
Buffered Diluent pH 7,0 with Tween	5
Buffered Peptone Water	5, 14
Cetrimide LAB-AGAR™	7, 12
Champan LAB-AGAR™	8
Columbia LAB-AGAR™ Base	5, 7
Contact Plates	15
Contact plates applicator	15
Cryblock Insulated Aluminium Block	16
D/E Neutralizing Broth	5, 9, 11-13
Desoxycholate Citrate LAB-AGAR™	7
Dip-slides	16
Egg`s Yolc Tellurite Sterile Emulsion	7, 13
Eugon L.T. LAB-AGAR™	9
GDLP 80 Broth	9
Glycerol	7, 12
GP with Chloramphenicol LAB-AGAR™	14
GRAM Staining Kit	11-13
King A LAB-AGAR™	7, 12
King B LAB-AGAR™	7
L.P.T. Broth	5, 14
L.T. 100 Broth	5, 9, 11-14
Lactose Broth	6, 11
Lactose Sulfite Broth Base	7
Lethen Modified Broth	9, 11-12
Levine`a LAB-AGAR™	11
LP Diluent	14
Mac Conkey Broth	6
Mac Conkey No 1 LAB-AGAR™	6, 11
Malt Extract AB-AGAR™	8
Malt Extract Broth	8
Mannitol Salt LAB-AGAR™ acc. to Chapman	8
McFarland Standard	16
MEA LAB-AGAR™	14
Medium PM-16	7
Medium PM-20	7
Medium PM-6	6, 11
Microbank®	16
Mossel EE Broth	6
Potato Dextrose LAB-AGAR™	8, 10
Potato Dextrose with Chloramphenicol LAB-AGAR™	10, 14
ProLex™ Staph Latex Kit	8
ProLex™ Staph Xtra Latex Kit	8
Pseudomonas P LAB-AGAR™	7, 12
Pseudomonas F LAB-AGAR™ (King B)	7
Pseudomonas P LAB-AGAR™ (King A)	7, 12
R2 LAB-AGAR™	6
Rabbit Coagulase Plasma	8, 13

Product	Page
Rappaport Vassiliadis Broth acc. to European Pharmacopoeia	7
Reference Strains	17
Reinforced Clostridial Medium	7
RVS Broth acc. to European Pharmacopoeia	7
Sabouraud 4 % Dextrose with Chloramphenicol LAB-AGAR™	10, 14
Sabouraud Dextrose Broth	8
Sabouraud Dextrose IRR. LAB-AGAR™ + Lethen	15
Sabouraud Dextrose IRR. LAB-AGAR™ + Lethen + Tween	15
Sabouraud Dextrose IRR. LAB-AGAR™	15
Sabouraud Dextrose LAB-AGAR™	8, 14
Sabouraud Dextrose LAB-AGAR™ + Lethen	8
Sabouraud Dextrose LAB-AGAR™ + Lethen + Tween	8
Sabouraud Dextrose LAB-AGAR™ + 4N	8
Sabouraud Dextrose with Chloramphenicol LAB-AGAR™	8
Sabouraud Dextrose with Chloramphenicol IRR. LAB-AGAR™	15
Sabouraud Dextrose with Chloramphenicol IRR. LAB-AGAR™ + Lethen	15
Sabouraud Dextrose with Chloramphenicol IRR. LAB-AGAR™ + Lethen + Tween	15
Sabouraud Dextrose with Chloramphenicol IRR. LAB-AGAR™	15
Sabouraud Dextrose with Chloramphenicol LAB-AGAR™	8, 10
Sabouraud Fluid Medium	8
Saline Peptone Water	9, 11-14
SCDLP 20 Broth	14
SCDLP 80 Broth	10-11, 13
Sedimentation plates	15
Soybean- Casein (SCDA) LAB-AGAR™	10-11, 13
Strains	17
Test Oxidase™ Reagent	12-13
Thioglycollate Broth	5
Thioglycollate Fluid Medium	8
Thioglycollate Medium	5
Thioglycollate Medium without Indicator	5
Triple Sugar Iron LAB-AGAR™	6
Trypticasein LAB-AGAR™	9
Trypticasein Soy LAB-AGAR™	9, 11-13
Trypticasein Soy Broth	5, 10
Trypticasein Soy Broth (TSB) Capitol 4	5
Trypticasein Soy Broth + 10 % Glycerol	5
Trypticasein Soy Broth + Lecithin + Polysorbate 80	5
Trypticasein Soy IRR. LAB-AGAR™ + 4N	15
Trypticasein Soy IRR. LAB-AGAR™	15
Trypticasein Soy LAB-AGAR™	6, 10
Trypticasein Soy LAB-AGAR™ + Lethen	6
TSA IRR. LAB-AGAR™ + Lethen	15
TSA IRR. LAB-AGAR™ + 3 N	15
TSA IRR. LAB-AGAR™	15
TSA IRR. LAB-AGAR™ + 4 N	15
TSA IRR. LAB-AGAR™ + Lethen + Tween	15
TSA IRR. LAB-AGAR™ + Lethen + Tween 80	15
TSA IRR. LAB-AGAR™ + Lethen + Tween 80 (FP)	15
TSA IRR. LAB-AGAR™ + Neutralized	15
TSA LAB-AGAR™ + 4N	6
TSA LAB-AGAR™ + Lethen + Tween 80	6
TSA LAB-AGAR™ + Lethen + Tween 80 (FP)	6

Product	Page
TSA LAB-AGAR™ + Letheen +Histidine	6
TSA LAB-AGAR™ + Neutralized	6
TSA LAB-AGAR™+ Letheen + Tween	6
TSB + 0,3% Lecithin+ 2% Tween	5
TSB + 20% Glicerol	5
Vogel –Johnson LAB-AGAR™	13
VRBG acc. to. Eur. Pharm.	6
VRBLG LAB-AGAR™	7
Xylose Lysine Desoxycholate LAB-AGAR™	7

Products acc. to Pharmacopoeia  
Produit selon Pharmacopoeia

Microorganisms	Product	Cat. co.	Package
Diluents, non selective media, general use	Buffered Diluent pH 7,0	BT 5038.01	6 x 100 ml
		BT 5038.02	6 x 200 ml
		BT 5038.05	6 x 500 ml
		BT 5039	6 x 90 ml
		PW 3137	50 x 4,5 ml
	Buffered Diluent pH 7,0 with Neutralized	PW 3138	50 x 9 ml
		BT 5099.01	6 x 100 ml
		BT 5099.02	6 x 200 ml
	Buffered Diluent pH 7,0 with Tween	BT 5099.05	6 x 500 ml
		BT 5146	6 x 90 ml
BT 5117.01		6 x 100 ml	
Buffered Peptone Water	BT 5117.02	6 x 200 ml	
	BT 5117.05	6 x 500 ml	
	PS 181	500 g	
Columbia LAB-AGAR™ Base	PS 06	500 g	
	BT 5011.01	6 x 100 ml	
D/E Neutralizing Broth	L.P.T. Broth	BT 5011.02	6 x 200 ml
		BT 5011.05	6 x 500 ml
		PS 187	500 g
	L.T. 100 Broth	PS 302	500 g
		PS 310	500 g
	Thioglycollate Broth	BT 5145	6 x 90 ml
		BT 5165	6 x 50 ml
		PW 3121	50 x 9 ml
	Thioglycollate Medium	PS 312	500 g
		PS 313	500 g
Thioglycollate Medium without Indicator	PS 314	500 g	
Trypticasein Soy Broth	Trypticasein Soy Broth	PS 23	500 g
		BT 5123.01	6 x 100 ml
		BT 5123.02	6 x 200 ml
	Trypticasein Soy Broth (TSB) Capitol 4	BT 5123.05	6 x 500 ml
		PW 4019	50 x 10 ml
	Trypticasein Soy Broth + 10 % Glycerol	PW 4000	50 x 5 ml
		PW 3152	50 x 9 ml
	TSB + 20% Glicerol	PW 3101	50 x 3 ml
		PW 3156	50 x 9 ml (glass tubes)
	Trypticasein Soy Broth + Lecithin + Polysorbate 80	PW 3197	50 x 5 ml (glass tubes)
BT 7010		6 x 90 ml	
TSB + 0,3% Lecithin + 2% Tween	PW 8000	50 x 10 ml	
	PW 3199	50 x 5 ml	
	BT 5178.01	6 x 100 ml	
	BT 5178.02	6 x 200 ml	
	BT 5191	6 x 90 ml	
	BT 5162.01	6 x 100 ml	

Microorganisms	Product	Cat. co.	Package	
Diluents, non selective media, general use	Trypticasein Soy LAB-AGAR™	BT 5162.02	6 x 200 ml	
		PS 22	500 g	
		PP 1180	10 plates	
		BT 5000.01	6 x 100 ml	
		BT 5000.02	6 x 200 ml	
		BT 5000.05	6 x 500 ml	
		Trypticasein Soy LAB-AGAR™ +Letheen	BT 7008	6 x 250 ml
		TSA LAB-AGAR™ + Letheen + Histidine	PP 0130	10 plates
		TSA LAB-AGAR™+ Letheen + Tween	PP 0046	10 plates
			BT 5134.01	6 x 100 ml
			BT 5134.02	6 x 200 ml
			BT 5134.05	6 x 500 ml
		TSA LAB-AGAR™ + Letheen + Tween 80	PP 0046	10 plates
		TSA LAB-AGAR™ + Letheen + Tween 80 (FP)	PP 0116	10 plates
		TSA LAB-AGAR™ + 4N	PP 1180N	10 plates
		TSA LAB-AGAR™ + Neutralized	PP 0135	10 plates
		Total Count	R2 LAB-AGAR™	PS 185
PP 0088	10 plates			
BT 5130.01	6 x 100 ml			
BT 5130.02	6 x 200 ml			
BT 5130.05	6 x 500 ml			
Escherichia coli	Lactose Broth	PS 35	500 g	
		Mac Conkey Broth	PS 12	500 g
		BT 5119.01	6 x 100 ml	
		BT 5119.02	6 x 200 ml	
		BT 5119.05	6 x 500 ml	
	Mac Conkey No 1 LAB-AGAR™	PS 183	500 g	
		PP 0085	10 plates	
		BT 5137.01	6 x 100 ml	
		BT 5137.02	6 x 200 ml	
		BT 5137.05	6 x 500 ml	
Enterobacteriaceae	Mac Conkey No 1 LAB-AGAR™	PS 183	500 g	
		PP 0085	10 plates	
		BT 5137.01	6 x 100 ml	
		BT 5137.02	6 x 200 ml	
		BT 5137.05	6 x 500 ml	
	Medium PM-6	BT 5163.01	6 x 100 ml	
		BT 5163.02	6 x 200 ml	
	Mossel EE Broth	PW 86	500 g	
		PW 3068	50 x 10 ml	
		BT 5129.01	6 x 100 ml	
		BT 5129.02	6 x 200 ml	
		BT 5129.05	6 x 500 ml	
	Triple Sugar Iron LAB-AGAR™	PS 44	500 g	
		PW 4204	50 x 7 ml	
		PW 3060	50 x 7 ml (slant)	
		PW 3193	50 x 9 ml (slant)	
		VRBG acc. to. Eur. Pharm.	PS 275	500 g
VRBLG LAB-AGAR™	PP 0164	10 plates		
	BT5220.01	6 x 100 ml		
	BT5220.02	6 x 200 ml		
	PS 171	500 g		

Microorganisms	Product	Cat. co.	Package
		BT 5007.01	6 x 100 ml
		BT 5007.02	6 x 200 ml
		BT 5007.05	6 x 500 ml
Clostridium spp.	Columbia LAB-AGAR™ Base	PS 06	500 g
		BT 5011.01	6 x 100 ml
		BT 5011.02	6 x 200 ml
		BT 5011.05	6 x 500 ml
	Lactose Sulfite Broth Base	PS 162	500 g
	Medium PM-16	BT 5176.01	6 x 100 ml
		BT 5176.02	6 x 200 ml
	Medium PM-20	BT 5083.01	6 x 100 ml
		BT 5083.02	6 x 200 ml
	Reinforced Clostridial Medium	PS 143	500 g
Pseudomonas aeruginosa	Cetrimide LAB-AGAR™	PS 49	500 g
	Glycerol	GLC80500	500 ml
	Cetrimide LAB-AGAR™	PP 1310	10 plates
		BT 5122.01	6 x 100 ml
		BT 5122.02	6 x 200 ml
		BT 5122.05	6 x 500 ml
		BT 7004	6 x 250 ml
	King A LAB-AGAR™	PP 0069	10 plates
	Pseudomonas P LAB-AGAR™ (King A)	PS 592	500 g
	Glycerol	GLC80500	500 ml
	King B LAB-AGAR™	PP 0071	10 plates
		BT 5110.01	6 x 100 ml
		BT 5110.02	6 x 200 ml
		BT 5110.05	6 x 500 ml
	Pseudomonas F LAB-AGAR™ (King B)	PS 64	500 g
	Glycerol	GLC 80500	500 ml
Salmonella spp.	Brilliant Green Tetrathionate Broth	PS 199	500 g
		PW 3108	50 x 10 ml
	Brilliant Green acc. to Kauffman LAB-AGAR™	PS 48	500 g
		PP 0099	10 plates
	Desoxycholate Citrate LAB-AGAR™	PS 39	500 g
		PP 0086	10 plates
	Rappaport Vassiliadis Broth acc. to European Pharmacopoeia	PS 250	500 g
	RVS Broth acc. to European Pharmacopoeia	PW 3052	50 x 10 ml
	Xylose Lysine Desoxycholate LAB-AGAR™	PS 308	500 g
		PP 0087	10 plates
		BT 5139.01	6 x 100 ml
		BT 5139.02	6 x 200 ml
		BT 5139.05	6 x 500 ml
Staphylococcus aureus	Baird Parker LAB-AGAR™ Base acc. to ISO 6888-1	PS 33	500 g
	Egg's Yolk Tellurite Sterile Emulsion	SL 0036	100 ml
	Baird Parker LAB-AGAR™	PP 1320	10 plates
	Baird Parker LAB-AGAR™ Base	BT 5033.01	6 x 100 ml
		BT 5033.02	6 x 200 ml
		BT 5033.05	6 x 500 ml
	Egg's Yolk Tellurite Sterile Emulsion	SL 0036	100 ml
	Champan LAB-AGAR™	PP 0047	10 plates
	Mannitol Salt LAB-AGAR™ acc. to Chapman	PS 186	500 g
	Rabbit Coagulase Plasma	PL.850-3	10 x 3 ml

Microorganisms	Product	Cat. co.	Package	
	ProLex™ Staph Latex Kit- test latex for quick identification of <i>S. aureus</i>	PL.080B	100 tests	
		PL.081B	300 tests	
	ProLex™ Staph Xtra Latex Kit - test latex kit for <i>S aureus</i> detection including MRSA (detect CF, A protein, capsular antigen type 5 and 8)	PL.1080B	100 tests	
		PL.1081B	300 tests	
Yeast and Molds	Malt Extract AB-AGAR™	PS 77	500 g	
		PP 0090	10 plates	
		BT 5133.01	6 x 100 ml	
		BT 5133.02	6 x 200 ml	
		BT 5133.05	6 x 500 ml	
		Potato Dextrose LAB-AGAR™	PS 107	500 g
			PP 0091	10 plates
			BT 5136.01	6 x 100 ml
			BT 5136.02	6 x 200 ml
		Sabouraud Dextrose Broth	BT 5136.05	6 x 500 ml
PS 146	500 g			
BT 5019.01	6 x 100 ml			
BT 5019.02	6 x 200 ml			
BT 5019.05	6 x 500 ml			
Sabouraud Dextrose LAB-AGAR™	PW 3022	50 x 10 ml		
	PW 3034	50 x 5 ml		
	PW 3181	50 x 10 ml (glass tubes)		
	PS 16	500 g		
	PP 1230	10 plates		
	BT 5107.01	6 x 100 ml		
	BT 5107.02	6 x 200 ml		
Sabouraud Dextrose LAB-AGAR™ + Letheen	BT 5107.05	6 x 500 ml		
	BT 7007	6 x 250 ml		
	BT 7015	6 x 200 ml		
	PP 0134	10 plates		
	PS 192	500 g		
	PP 0084	10 plates		
	BT 5118.01	6 x 100 ml		
	BT 5118.02	6 x 200 ml		
	BT 5118.05	6 x 500 ml		
	Sabouraud Fluid Medium	PS 311	500 g	
Sterility tests	Malt Extract Broth	PS 78	500 g	
		PS 43	500 g	
	Thioglycollate Fluid Medium	BT 5128.01	6 x 100 ml	
		BT 5128.02	6 x 200 ml	
		BT 5128.05	6 x 500 ml	
		BT 7020	6 x 80 ml	
		PW 4004	50 x 10 ml	
		PW 3033	50 x 5 ml	
		PW 3153	50 x 9 ml	
		PW 3157	50 x 9 ml (glass tubes)	
Trypticasein LAB-AGAR™	PS 22	500 g		
	PP 1180	10 plates		
	BT 5000.01	6 x 100 ml		
	BT 5000.02	6 x 200 ml		
	BT 5000.05	6 x 500 ml		



Product acc.to ISO Regulations for microbiological checking cleanliness in cosmetics  
 Produit conforme à la réglementation ISO pour la vérification microbiologique  
 de la propreté dans les produits cosmétiques

Product acc.to ISO 21149:2017.

Cosmetics - Microbiology Enumeration and detection of aerobic mesophilic bacteria

Cosmétique - Microbiologie Dénombrement et détection de bactéries aérobies mésophiles

Microorganisms	Product	Cat. co.	Package
Diluent	LT. 100 Broth	PS 310	500 g
		BT 5145	6 x 90 ml
		BT 5165	6 x 50 ml
		PW 3121	50 x 9 ml
Isolation	Eugon L.T. LAB-AGAR™	PP 0108	10 plates
	Trypticasein Soy LAB-AGAR™	PS 22	500 g
		PP 1180	10 plates
		BT 5000.01	6 x 100 ml
		BT 5000.02	6 x 200 ml
		BT 5000.05	6 x 500 ml

Product acc.to ISO 18416:2016.

Cosmetics - Microbiology Detection of Candida albicans

Cosmétiques - Microbiologie Détection de Candida albicans

Microorganisms	Product	Cat. co.	Package
Diluents and liquid media	D/E Neutralizing Broth	PS 187	500 g
		BT 5155	6 x 90 ml
		PW 3131	50 x 9 ml
	Lethen Modified Broth	BT 5199	6 x 90 ml
		PW 3126	50 x 9 ml
		LT. 100 Broth	PS 310
	BT 5145		6 x 90 ml
	BT 5165		6 x 50 ml
	PW 3121		50 x 9 ml
	Saline Peptone Water		PS 118
		BT 5027	6 x 90 ml
		BT 5094.01	6 x 100 ml
BT 5094.02		6 x 200 ml	
BT 5094.05		6 x 500 ml	

Product acc.to ISO 18416:2016.

Cosmetics - Microbiology Detection of Candida albicans

Cosmétiques - Microbiologie Détection de Candida albicans

Microorganisms	Product	Cat. co.	Package
		BT 5131	6 x 180 ml
		PW 3055	50 x 9 ml
	SCDLP 80 Broth	BT 5153	6 x 90 ml
		PW 3130	50 x 9 ml
Isolation	Sabouraud Dextrose with Chloramphenicol LAB-AGAR™	PS 192	500 g
	Sabouraud 4 % Dextrose with Chloramphenicol LAB-AGAR™	PP 0084	10 plates
		BT 5118.01	6 x 100 ml
		BT 5118.02	6 x 200 ml
		BT 5118.05	6 x 500 ml
	Potato Dextrose with Chloramphenicol LAB-AGAR™	PP 0109	10 plates
	Trypticasein Soy Broth	PS 23	500 g
		BT 5123.01	6 x 100 ml
		BT 5123.02	6 x 200 ml
		BT 5123.05	6 x 500 ml
		PW 4019	50 x 10 ml
		PW 4000	50 x 5 ml
		PW 3152	50 x 9 ml
		PW 3101	50 x 3 ml
		PW 3156	50 x 9 ml (glass tubes)
		PW 3197	50 x 5 ml (glass tubes)
	Soybean- Casein (SCDA) LAB-AGAR™	PS 272	500 g
		PP 0160	10 plates
		BT 5213.01	6 x 100 ml
		BT 5213.02	6 x 200 ml
	Trypticasein Soy LAB-AGAR™	PS 22	500 g
		PP 1180	10 plates
		BT 5000.01	6 x 100 ml
		BT 5000.02	6 x 200 ml
		BT 5000.05	6 x 500 ml
Identification	GRAM Staining Kit	PL.8055.25	4 x 250 ml
Validation	Potato Dextrose LAB-AGAR™	PS 107	500 g
		PP 0091	10 plates
		BT 5136.01	6 x 100 ml
		BT 5136.02	6 x 200 ml
		BT 5136.05	6 x 500 ml

Products acc. to ISO 21150:2016.

Cosmetics - Microbiology Detection of Escherichia coli

Cosmétique - Microbiologie Détection d'Escherichia coli

Microorganisms	Product	Cat. co.	Package
Diluents and liquid media	D/E Neutralizing Broth	PS 187	500 g
		BT 5199	6 x 90 ml
	L.T. 100 Broth	PW 3126	50 x 9 ml
		PS 310	500 g
		BT 5145	6 x 90 ml
		BT 5165	6 x 50 ml
		PW 3121	50 x 9 ml
	Saline Peptone Water	PS 118	500 g
		BT 5027	6 x 90 ml
		BT 5094.01	6 x 100 ml
		BT 5094.02	6 x 200 ml
		BT 5094.05	6 x 500 ml
		BT 5131	6 x 180 ml
		PW 3055	50 x 9 ml
		SCDLP- 80 Broth	BT 5153
	PW 3130		50 x 9 ml
	Lactose Broth (Medium PM-6)	PS 35	500 g
BT 5163.01		6 x 100 ml	
BT 5163.02		6 x 200 ml	
Isolation	Mac Conkey No 1 LAB-AGAR™	PS 183	500 g
		PP 0085	10 plates
		BT 5137.01	6 x 100 ml
		BT 5137.02	6 x 200 ml
		BT 5137.05	6 x 500 ml
	Trypticasein Soy LAB-AGAR™	PS 22	500 g
		PP 1180	10 plates
		BT 5000.01	6 x 100 ml
		BT 5000.02	6 x 200 ml
	Soybean- Casein (SCDA) LAB-AGAR™	BT 5000.05	6 x 500 ml
		PS 272	500 g
		PP 0160	10 plates
		BT 5213.01	6 x 100 ml
Identification	GRAM Staining Kit	PL.8055.25	4 x 250 ml
		PS 235	500 g
	Levine`a LAB-AGAR™		

Products acc.to ISO 22717:2016.

Cosmetics - Microbiology Detection of Pseudomonas aeruginosa

Cosmétique - Microbiologie Détection de Pseudomonas aeruginosa

Microorganisms	Product	Cat. co.	Package
Diluents and liquid media	D/E Neutralizing Broth	PS 187	500 g
		BT 5199	6 x 90 ml
	L.T. 100 Broth	PW 3126	50 x 9 ml
		PS 310	500 g
		BT 5145	6 x 90 ml
		BT 5165	6 x 50 ml
		PW 3121	50 x 9 ml
		PS 118	500 g
	Saline Peptone Water	BT 5027	6 x 90 ml
		BT 5094.01	6 x 100 ml
		BT 5094.02	6 x 200 ml
		BT 5094.05	6 x 500 ml
		BT 5131	6 x 180 ml
		PW 3055	50 x 9 ml
Isolation		Cetrimide LAB-AGAR™	PS 49
	Glycerol	GLC80500	500 ml
	Cetrimide LAB-AGAR™	PP 1310	10 plates
		BT 5122.01	6 x 100 ml
		BT 5122.02	6 x 200 ml
		BT 5122.05	6 x 500 ml
		BT 7004	6 x 250 ml
Identification	GRAM Staining Kit	PL.8055.25	4 x 250 ml
	King A LAB-AGAR™	PP 0069	10 plates
	Pseudomonas P LAB-AGAR™	PS 592	500 g
	Test Oxidase™ Reagent	PL.390	15 ml
Vaildation	Trypticasein Soy LAB-AGAR™	PS 22	500 g
		PP 1180	10 plates
		BT 5000.01	6 x 100 ml
		BT 5000.02	6 x 200 ml
		BT 5000.05	6 x 500 ml

Product acc.to ISO 22718:2016.

Cosmetics - Microbiology Detection of Staphylococcus aureus

Cosmétique - Microbiologie Détection de Staphylococcus aureus

Microorganisms	Product	Cat. co.	Package
Diluents and liquid media	D/E Neutralizing Broth	PS 187	500 g
		BT 5199	6 x 90 ml
	L.T. 100 Broth	PW 3126	50 x 9 ml
		PS 310	500 g
		BT 5145	6 x 90 ml
		BT 5165	6 x 50 ml
		PW 3121	50 x 9 ml
		PS 118	500 g
	Saline Peptone Water	BT 5027	6 x 90 ml
		BT 5094.01	6 x 100 ml
		BT 5094.02	6 x 200 ml
		BT 5094.05	6 x 500 ml

Microorganisms	Product	Cat. co.	Package
		BT 5131	6 x 180 ml
		PW 3055	50 x 9 ml
Isolation	Baird Parker LAB-AGAR™ Base	PS 33	500 g
	Egg's Yolk Sterille + Tellurite	SL 0036	100 ml
	Vogel–Johnson LAB-AGAR™	PS 236	500 g
	GRAM Staining Kit	PL.8055.25	4 x 250 ml
	Rabbit Coagulase Plasma	PL.850-3	10 x 3 ml
Validation	Trypticasein Soy LAB-AGAR™	PS 22	500 g
		PP 1180	10 plates
		BT 5000.01	6 x 100 ml
		BT 5000.02	6 x 200 ml
		BT 5000.05	6 x 500 ml
	Soybean- Casein (SCDA) LAB-AGAR™	PS 272	500 g
		PP 0160	10 plates
		BT 5213.01	6 x 100 ml
		BT 5213.02	6 x 200 ml

Products acc.to ISO 18415:2017.

Cosmetics- Microbiology Detection of specified and non-specified microorganisms

Cosmétique - Microbiologie Détection de micro-organismes spécifiés et non spécifiés

Microorganisms	Product	Cat. co.	Package
Diluents and liquid media	D/E Neutralizing Broth	PS 187	500 g
		PS 310	500 g
		BT 5145	6 x 90 ml
		BT 5165	6 x 50 ml
		PW 3121	50 x 9 ml
	SCDLP- 80 Broth	BT 5153	6 x 90 ml
		PW 3130	50 x 9 ml
	Saline Peptone Water	PS 118	500 g
		BT 5027	6 x 90 ml
		BT 5094.01	6 x 100 ml
		BT 5094.02	6 x 200 ml
		BT 5094.05	6 x 500 ml
		BT 5131	6 x 180 ml
	PW 3055	50 x 9 ml	
Isolation	Trypticasein Soy LAB-AGAR™	PS 22	500 g
		PP 1180	10 plates
		BT 5000.01	6 x 100 ml
		BT 5000.02	6 x 200 ml
		BT 5000.05	6 x 500 ml
	Soybean- Casein (SCDA) LAB-AGAR™	PS 272	500 g
		PP 0160	10 plates
		BT 5213.01	6 x 100 ml
		BT 5213.02	6 x 200 ml
Identification specified microorganisms (S.aureus)	GRAM Staining Kit	PL.8055.25	4 x 250 ml
Identification non- specified microorganisms (P. aeruginosa)	Test Oxidase™ Reagent	PL.390	15 ml

Microorganisms	Product	Cat. co.	Package	
Diluents and liquid media	Buffered Peptone Water	PS 181	500 g	
	Buffered Diluent pH 7,0	BT 5038.01	6 x 100 ml	
		BT 5038.02	6 x 200 ml	
		BT 5038.05	6 x 500 ml	
		BT 5039	6 x 90 ml	
		PW 3137	50 x 4,5 ml	
		PW 3138	50 x 9 ml	
		BT 5196	6 x 750 ml	
		PW 3123	50 x 9 ml	
		LP Diluent	BT 5198	6 x 90 ml
			PW 3124	50 x 9 ml
	L.P.T. Broth	PS 302	500 g	
	L.T. 100 Broth	PS 310	500 g	
		BT 5145	6 x 90 ml	
		BT 5165	6 x 50 ml	
		PW 3121	50 x 9 ml	
	Saline Peptone Water	PS 118	500 g	
		BT 5027	6 x 90 ml	
		BT 5094.01	6 x 100 ml	
		BT 5094.02	6 x 200 ml	
BT 5094.05		6 x 500 ml		
BT 5131		6 x 180 ml		
SCDLP 20 Broth	PW 3055	50 x 9 ml		
	BT 5154	6 x 90 ml		
	PW 3129	50 x 9 ml		
Isolation	GP with Chloramphenicol LAB-AGAR™	BT 5161.01	6 x 100 ml	
		BT 5161.02	6 x 200 ml	
		PP 0110	10 plates	
	MEA LAB-AGAR™	BT 5201.01	6 x 100 ml	
		BT 5201.02	6 x 200 ml	
	Potato Dextrose with Chloramphenicol LAB-AGAR™	BT 5160.01	6 x 100 ml	
		BT 5160.02	6 x 200 ml	
		PP 0109	10 plates	
	Sabouraud Dextrose with Chloramphenicol LAB-AGAR™	PS 192	500 g	
	Sabouraud 4 % Dextrose with Chloramphenicol LAB-AGAR™	PP 0084	10 plates	
		BT 5118.01	6 x 100 ml	
		BT 5118.02	6 x 200 ml	
		BT 5118.05	6 x 500 ml	
		Sabouraud Dextrose LAB-AGAR™	PS 16	500 g
	PP 1230		10 plates	
	BT 5107.01		6 x 100 ml	
BT 5107.02	6 x 200 ml			
BT 5107.05	6 x 500 ml			

## Sedimentation plates (Ø 90mm)

used for the monitoring of microbial contamination in the air in the cleanrooms of pharmaceutical industries and hospitals.

Can be used in dynamic air sampling with Air Sampler or in static sampling of ambient air. It is also suitable for personnel monitoring, e.g. gloves, hands. These culture media are easy-to-use, triple - wrapped, gamma irradiated, enabling efficient monitoring for micro-organisms during production processes.

## Plaques de sédimentation (Ø 90mm)

Utilisé pour le contrôle microbiologique de la contamination microbienne dans les salles blanches de industries pharmaceutiques et hôpitaux.

Ils peuvent être utilisés pour échantillonnage de l'air dynamique avec un échantillonneur d'air ou en échantillonnage statique de l'air ambiant. Ces plaques sont approprié pour la surveillance du personnel par exemple les gants, les mains. Ils sont facile à utiliser, triple emballage, irradié aux rayons gamma, permettent une surveillance efficace des micro-organismes au cours des processus de production.

Cat. No.	Products	Package
PPR 1230	Sabouraud Dextrose IRR. LAB-AGAR™	10 plates
PPR 1231	Sabouraud Dextrose with Chloramphenicol IRR. LAB-AGAR™	10 plates
PPR 1180	Trypticasein Soy IRR. LAB-AGAR™	10 plates
PPR 0046	TSA IRR. LAB-AGAR™ + Letheen + Tween 80	10 plates
PPR 0116	TSA IRR. LAB-AGAR™ + Letheen + Tween 80 (FP)	10 plates
PPR 1180N	Trypticasein Soy IRR. LAB-AGAR™ + 4N	10 plates
PPR 0135	TSA IRR. LAB-AGAR™ + Neutralized	10 plates

## Contact plates irradiated

## Plaques de contact irradiées

Contact plates designed to be used in clean areas; Triple - wrapped irradiated . Used for monitoring surfaces, equipment and personnel by applying the agar manually or using an applicator ; diameter: 55 mm, storage: +15 do +25 °C expiry: 9 months

Plaques de contact conçues pour être utilisées dans des zones propres; Triple - enveloppées irradiées. Utilisées pour surveiller les surfaces, l'équipement et le personnel en appliquant l'agar manuellement ou en utilisant un applicateur de contact; diamètre: 55 mm, stockage : +15 à +25 ° C expiration 9 mois

Cat. No	Product	Package
BRD04	Sabouraud Dextrose IRR. LAB-AGAR™	4x5 plates
BRD05	Sabouraud Dextrose IRR. LAB-AGAR™ + Letheen	4x5 plates
BRD06	Sabouraud Dextrose IRR. LAB-AGAR™ + Letheen + Tween	4x5 plates
BRD07	Sabouraud Dextrose with Chloramphenicol IRR. LAB-AGAR™	4x5 plates
BRD08	Sabouraud Dextrose with Chloramphenicol IRR. LAB-AGAR™ + Letheen	4x5 plates
BRD09	Sabouraud Dextrose with Chloramphenicol IRR. LAB-AGAR™ + Letheen + Tween	4x5 plates
BRD10	TSA IRR. LAB-AGAR™	4x5 plates
BRD11	TSA IRR. LAB-AGAR™ + Letheen	4x5 plates
BRD12	TSA IRR. LAB-AGAR™ + Letheen + Tween	4x5 plates
BRD19	TSA IRR. LAB-AGAR™ +3 N	4x5 plates
BRD14	TSA IRR. LAB-AGAR™ + 4 N	4x5 plates

## Contact plates applicator

## Applicateur de plaques de contact

Products	Cat. No.	Package
Contact plates applicator - for standarised sampling and surface cleanliness testing	APL 416	1 pcs
Applicateur pour plaques de Contact - pour l'échantillonnage stérarisé et analyse de la propreté de la surface		



DIPSLIDE- for microbiological monitoring. Test for the presence of microorganisms on surfaces, in liquids and semi solid materials, economical, easy to use, high specificity, long expiry date

DIPSLIDE- pour le contrôle microbiologique. Un test de détection de la présence de microorganismes sur les surfaces, dans les liquides et les matériaux semi-solides. Très économique, facile à utiliser, avec une grande spécificité et une longue date de péremption.

Cat. No.	Description	Package
DP 01	TSA LAB-AGAR™ with TTC / ROSE BENGAL w. CHLORAMPHENICOL LAB-AGAR™	20 pcs
DP 02	PCA LAB-AGAR™ / ROSE BENGAL w. CHLORAMPHENICOL LAB-AGAR™	20 pcs
DP 03	PCA LAB-AGAR™ / LEGIONELLA GVPC LAB-AGAR™	20 pcs
DP 04	PCA LAB-AGAR™ / VRBL LAB-AGAR™	20 pcs
DP 05	NUTRIENT LAB-AGAR™ / NUTRIENT LAB-AGAR™ with TTC	20 pcs
DP 06	PCA LAB-AGAR™ / VRBG LAB-AGAR™	20 pcs
DP 07	PCA LAB-AGAR™ / PCA LAB-AGAR™	20 pcs
DP 08	PCA LAB-AGAR™ / TSA LAB-AGAR™ w. TWEEN and LETHEEN	20 pcs
DP 09	VRBG LAB-AGAR™ / VRBG LAB-AGAR™	20 pcs
DP 10	SABOURAUD w. CHLORAMPHENICOL LAB-AGAR™ / SABOURAUD w. CHLORAMPHENICOL LAB-AGAR™	20 pcs
DP 11	DE NEUTRAL LAB-AGAR™ / DE NEUTRAL LAB-AGAR™	20 pcs
DP 12	CLED LAB-AGAR™ / Mac CONKEY LAB-AGAR™	20 pcs
DP 13	Mac CONKEY LAB-AGAR™ / CETRIMIDE LAB-AGAR™	20 pcs
VDP 15	RBG LAB-AGAR™ / TBX LAB-AGAR™	20 pcs

Microbank®- ready to use system designed simplify the storage and retrieval of bacterial cultures

Microbank® - système prêt à l'emploi conçu pour simplifier le stockage et la récupération des cultures bactériennes

Cat.no	Product	Package
PL.170/M	Microbank® - Mix (16 vials x 5 colours)	80 vials
PL.170/B	Microbank® - blue	80 vials
PL.170/G	Microbank® - green	80 vials
PL.170/R	Microbank® -red	80 vials
PL.170/Y	Microbank® - yellow	80 vials
PL.170/LB	Microbank® - light blue	80 vials
PL.155-1	Cryblock Insulated Aluminium Block	for 20 vials
PL.169/B-1	Microbank® Freezer Storage Box	for 80 vials

#### McFarland Standards

McFarland Standards are intended for adjusting densities of bacterial suspensions

Les normes McFarland sont destinées à ajuster les densités de suspensions bactériennes

Cat.no	Product	Package
SD 2350	McFarland Standard - Set 0.5-4.0	5x10 ml
SD 2300	McFarland Standard 0.5	10 ml
SD 2301	McFarland Standard 1.0	10 ml
SD 2302	McFarland Standard 2.0	10 ml
SD 2303	McFarland Standard 3.0	10 ml
SD 2304	McFarland Standard 4.0	10 ml



## Reference Strains

first generation cultures (a single subculture from the parent strain). The numbers in the discs are in the region of  $10^8$  to  $10^9$

Souches de référence - cultures de première génération (une seule sous-culture de la souche parente). Les numéros dans les disques sont dans la région de  $10^8$  à  $10^9$

Cat.no	Micro-organism Name	Strain Designation	WDCM Number discs in vial	number of	cat.no	number of discs in vial
MM94-10	<i>Aspergillus brasiliensis</i>	NCPF 2275 / ATCC® 16404	00053	10		
MM21-10	<i>Bacillus cereus</i>	NCTC 10320 / ATCC® 9634	00001	10		
MM86-10	<i>Bacillus cereus</i>	NCTC 7464 / ATCC® 10876		10	MM86-25	25
MM29-10	<i>Bacillus subtilis</i>	NCTC 10400 / ATCC® 6633	00003	10	MM29-25	25
MM44-10	<i>Bacteroides fragilis</i>	NCTC 9343 / ATCC® 25285		10		
MM70-10	<i>Burkholderia cepacia</i>	NCTC 10661 / ATCC® 17759		10		
MM36-10	<i>Campylobacter jejuni</i>	NCTC 11351 / ATCC® 33560		10		
MM82-10	<i>Campylobacter jejuni</i>	NCTC 11322 / ATCC® 29428	00156	10		
MM28-10	<i>Candida albicans</i>	NCPF 3255 / ATCC® 2091	00055	10	MM28-25	25
MM42-10	<i>Candida albicans</i>	NCPF 3179 / ATCC® 10231	00054	10	MM42-25	25
MM53-10	<i>Candida crusei</i>	NCPF 3953 / ATCC® 6258		10		
MM54-10	<i>Candida parapsilosis</i>	NCPF 8334 / ATCC® 22019		10		
MM69-10	<i>Candida glabrata</i>	NCPF 3309 / ATCC® 2001		10		
MM71-10	<i>Candida guilliermondii</i>	NCPF 3099 / ATCC® 5276		10		
MM72-10	<i>Candida lusitanae</i>	NCPF 3954		10		
MM90-10	<i>Candida tropicalis</i>	NCPF 3290 / ATCC® 44508		10		
MM27-10	<i>Citrobacter freundii</i>	NCTC 9750 / ATCC® 8090		10		
MM45-10	<i>Clostridium perfringens</i>	NCTC 8237 / ATCC® 13124	00007	10		
MM31-10	<i>Clostridium sporogenes</i>	NCTC 532 / ATCC® 19404	00008	10		
MM26-10	<i>Enterobacter aerogenes</i>	NCTC 10006 / ATCC® 13048		10	MM26-25	25
MM01-10	<i>Enterobacter cloacae</i>	NCTC 13380 / ATCC® 23355	00082	10		
MM51-10	<i>Enterobacter cloacae</i>	NCTC 13406		10		
MM17-10	<i>Enterococcus faecalis</i>	NCTC 775 / ATCC® 19433	00009	10	MM17-25	25
MM18-10	<i>Enterococcus faecalis</i>	NCTC 12697 / ATCC® 29212	00087	10	MM18-25	25
MM52-10	<i>Enterococcus faecalis</i>	NCTC 13379 / ATCC® 51299	00085	10		
MM35-10	<i>Enterococcus hirae</i>	NCTC13383 / ATCC® 10541	00011	10		
MM02-10	<i>Escherichia coli</i>	NCTC 12241 / ATCC® 25922	00013	10	MM02-25	25
MM24-10	<i>Escherichia coli</i>	NCTC 11954 / ATCC® 35218		10	MM24-25	25
MM33-10	<i>Escherichia coli</i>	NCTC10418 / ATCC® 10536		10	MM33-25	25
MM38-10	<i>Escherichia coli</i>	NCTC 12923 / ATCC® 8739	00012	10	MM63-25	25
MM63-10	<i>Escherichia coli</i>	NCTC 11560		10		
MM75-10	<i>Escherichia coli</i>	NCTC 9001 / ATCC® 11755	00090	10		
MM34-10	<i>Escherichia coli</i>	NCTC 13846		10		
MM57-10	<i>Escherichia coli</i>	NCTC 13476 Class B IMP enzymes		10		
MM93-10	<i>Escherichia coli</i> O157 non-toxigenic	NCTC 12900 / ATCC® 700728	00014	10	MM93-25	25
MM81-10	<i>Haemophilus influenzae</i>	NCTC 12699 / ATCC® 49247		10		
MM37-10	<i>Haemophilus influenzae</i>	NCTC 12975 / ATCC® 49766		10		
MM98-10	<i>Haemophilus influenzae</i>	NCTC 11931		10		
MM100-10	<i>Haemophilus influenzae</i>	NCTC 8468 / ATCC® 9334		10		
MM88-10	<i>Klebsiella aerogenes</i>	NCTC 9528		10		
MM04-10	<i>Klebsiella pneumoniae</i>	NCTC 9633 / ATCC® 13883	00097	10	MM04-25	25
MM83-10	<i>Klebsiella pneumoniae</i>	NCTC 13368 / ATCC® 700603		10		
MM58-10	<i>Klebsiella pneumoniae</i> (CRE)	NCTC 13438 Class A KPC ( <i>Klebsiella pneumoniae</i> carbapenemase) enzymes		10		
MM55-10	<i>Klebsiella pneumoniae</i> (CRE)	NCTC 13440 Class B VIM ( <i>Verona Integron</i> -encoded metallo-beta-lactamase) enzymes		10		
MM56-10	<i>Klebsiella pneumoniae</i> (CRE)	NCTC 13443 Class B NDM ( <i>New Delhi metallo-beta-lactamase</i> ) enzymes		10		
MM76-10	<i>Lactobacillus brevis</i>	NCTC 13386 / ATCC® 8287		10		

## Reference Strains

first generation cultures (a single subculture from the parent strain). The numbers in the discs are in the region of  $10^6$  to  $10^9$

Souches de référence - cultures de premi re génération (une seule sous-culture de la souche parente). Les numéros dans les disques sont dans la région de  $10^6$  à  $10^9$

Cat.no	Micro-organism Name	Strain Designation	WDCM Number discs in vial	number of	cat.no	number of discs in vial
MM76-10	<i>Lactobacillus brevis</i>	NCTC 13386 / ATCC® 8287		10		
MM99-10	<i>Legionella anisa</i>	NCTC 11974 / ATCC® 35292	00106	10		
MM08-10	<i>Legionella pneumophila</i> serogroup 1	NCTC 11192 / ATCC® 33152		10		
MM92-10	<i>Listeria innocua</i>	NCTC 11288 / ATCC® 33090	00017	10		
MM60-10	<i>Listeria ivanovii</i>	NCTC 11007 / ATCC® 19119	00018	10		
MM48-10	<i>Listeria monocytogenes</i>	NCTC 7973 / ATCC® 35152	00109	10	MM48-25	25
MM77-10	<i>Listeria monocytogenes</i>	NCTC 13372 ATCC® 7644		10		
MM87-10	<i>Listeria monocytogenes</i>	NCTC 11994	00019	10		
MM47-10	<i>Listeria monocytogenes</i>	NCTC 10527 / ATCC® 13932		10		
MM05-5	<i>Neisseria gonorrhoeae</i>	NCTC 8375 / ATCC® 19424		5		
MM96-5	<i>Neisseria gonorrhoeae</i>	NCTC 12700 / ATCC® 49226		5		
MM22-10	<i>Proteus mirabilis</i>	NCTC® 11938	00023	10		
MM43-10	<i>Proteus mirabilis</i>	NCTC 13376 / ATCC® 14153		10		
MM68-10	<i>Proteus mirabilis</i>	NCTC 10975		10		
MM09-10	<i>Proteus vulgaris</i>	NCTC 4175 / ATCC® 13315		10	MM09-25	25
MM10-10	<i>Pseudomonas aeruginosa</i>	NCTC 12903 / ATCC® 27853	00025	10	MM10-25	25
MM40-10	<i>Pseudomonas aeruginosa</i>	NCTC 12924 / ATCC® 9027		10	MM40-25	25
MM41-10	<i>Pseudomonas aeruginosa</i>	NCTC 13359 / ATCC® 15442		10		
MM65-10	<i>Pseudomonas aeruginosa</i>	NCTC 10662 / ATCC® 25668	00114	10		
MM97-10	<i>Rhodococcus equi</i>	NCTC 1621 / ATCC® 6939	00028	10		
MM73-10	<i>Saccharomyces cerevisiae</i>	NCPF 3178		10	MM73-25	25
MM50-10	<i>Saccharomyces cerevisiae</i>	NCTC 10716/ATCC 9763/	00058	10		
MM84-10	<i>Salmonella</i> Nottingham	NCTC 7832		10		
MM89-10	<i>Salmonella</i> Poona	NCTC 4840		10	MM89-25	25
MM11-10	<i>Salmonella</i> Typhimurium	NCTC 12023/ ATCC® 14028	00031	10	MM11-25	25
MM62-10	<i>Salmonella</i> Enteritidis	NCTC 12694 / ATCC® 13076	00030	10		
MM12-10	<i>Serratia marcescens</i>	NCTC 13382 / ATCC® 8100		10		
MM07-10	<i>Shigella sonnei</i>	NCTC 12984 / ATCC® 29930	00127	10		
MM13-10	<i>Staphylococcus aureus</i>	NCTC12981 / ATCC® 25923	00034	10	MM13-25	25
MM14-10	<i>Staphylococcus aureus</i>	NCTC 12973 / ATCC® 29213	00131	10	MM14-25	25
MM30-10	<i>Staphylococcus aureus</i>	NCTC 7447 / ATCC® 6538P	00033	10	MM30-25	25
MM46-10	<i>Staphylococcus aureus</i>	NCTC 10788 / ATCC® 6538	00032	10	MM46-25	25
MM64-10	<i>Staphylococcus aureus</i> (MRSA)	NCTC 12493		10		
MM85-10	<i>Staphylococcus aureus</i>	NCTC 6571 / ATCC® 9144	00035	10		
MM91-10	<i>Staphylococcus aureus</i> (MRSA)	NCTC 13373 / ATCC® 43300		10		
MM15-10	<i>Staphylococcus epidermidis</i>	NCTC 13360 / ATCC® 12228	00036	10	MM15-25	25
MM16-10	<i>Streptococcus agalactiae</i>	NCTC 8181 / ATCC® 13813		10		
MM60-10	<i>Streptococcus dysgalactiae</i> subsp. <i>equisimilis</i>	NCTC® 13762		10		
MM19-10	<i>Streptococcus pneumoniae</i>	NCTC 12695 /ATCC® 6303		10	MM19-25	25
MM95-10	<i>Streptococcus pneumoniae</i>	NCTC 12977 /ATCC® 49619		10		
MM20-10	<i>Streptococcus pyogenes</i>	NCTC 12696 /ATCC® 19615		10	MM20-25	25
MM06-10	<i>Vibrio parahaemolyticus</i>	NCTC 10885	00185	10		
MM80-10	<i>Yersinia enterocolitica</i>	NCTC 12982 / ATCC® 9610	00038	10	MM80-25	25

Selectrol® is first generation derivative of original stock cultures obtained exclusively from the NATIONAL Collection of Type Cultures (NCTC®)

or National Collection of Patho-genic Fungi (NCPF®).

Where appropriate other international strain designations, such as the ATCC®, are listed for reference purposes only.

NCTC® and NCPF® are trademarks of Public Health England.

ATCC® strains are listed for reference only.

ATCC® is registered trademark of the American Type Culture Collection.





BioMaxima S.A.  
ul. Vetterów 5  
20-277 Lublin, Poland  
[www.biomaxima.com](http://www.biomaxima.com)

phone +48 81 467 90 61  
fax +48 81 744 29 15  
[export@biomaxima.com](mailto:export@biomaxima.com)  
[support@biomaxima.com](mailto:support@biomaxima.com)  
[microbiology@biomaxima.com](mailto:microbiology@biomaxima.com)